


The background of the slide is a photograph of cherry blossoms in full bloom. The flowers are a light pink color with darker pink centers, and they are clustered along dark, thin branches. The background is a clear, pale blue sky. The entire slide is framed by a thin black border.

LES DÉFIS DE L'ACCÈS ET DE L'ENGAGEMENT DANS LES SERVICES DE SANTÉ MENTALE CHEZ LES JEUNES EN SITUATION D'ITINÉRANCE

PRÉSENTÉ PAR JULIE MARGUERITE DESCHÊNES, T.S., M.Sc., ÉTUDIANTE AU DOCTORAT
ÉCOLE DE TRAVAIL SOCIAL, UNIVERSITÉ DE MONTRÉAL

87^{ÈME} CONGRÈS DE L'ACFAS

PRÉVENTION DE L'ITINÉRANCE CHEZ LES JEUNES : UNE RÉFLEXION COLLECTIVE SUR LES POINTS TOURNANTS,
L'AVANCEMENT DES CONNAISSANCES ET LES PRATIQUES D'INTERVENTION



PLAN DE LA PRÉSENTATION

1) Jeunesse, santé mentale et itinérance

2) Utilisation des services de santé mentale

- Contexte préalable à l'accès
- Enjeux liés à l'accès aux services
- Enjeux liés à l'engagement dans les services

3) Intervention en santé mentale auprès des jeunes en situation d'itinérance

4) Présentation du projet de recherche



JEUNESSE, SANTÉ MENTALE ET ITINÉRANCE

➤ Déterminants sociaux de la santé

- Précarité socio-économique, qualité de vie et santé mentale
- Caractéristiques socio-démographiques, statut socio-économique et itinérance

➤ Jeunesse et santé mentale

- Période fragilisant la santé mentale
- Consensus sur les facteurs de risque majeurs
- Spécificités associées à l'émergence du problème de santé mentale
- Formation de l'identité

➤ Santé mentale et itinérance

- Contexte d'itinérance et émergence/aggravation des problèmes de santé mentale
- Dépendances aux substances






UTILISATION DES SERVICES DE SANTÉ MENTALE

CONTEXTE PRÉALABLE À L'UTILISATION

- Enjeux communs à l'ensemble des jeunes ➡ exacerbés par le contexte d'itinérance
- Enjeux spécifiques au contexte d'itinérance ➡ barrières additionnelles
- Contexte préalable à l'utilisation des services de santé mentale
 - Perception d'un besoin de santé mentale
 - Recherche d'aide
 - Connaissances, attitudes et croyances relatives à la santé mentale
 - Caractéristiques socio-démographiques
 - Statut socio-économique





UTILISATION DES SERVICES DE SANTÉ MENTALE

RELATIONS ENTRE L'ACCÈS ET L'ENGAGEMENT

➤ **Accès** : Capacité de répondre aux besoins de santé sans délai et/ou obstacle

➤ **Engagement**: État interne et processus co-construit au fil des interactions

➤ **Processus menant à l'engagement**

Perception d'un besoin ➡ Intention et recherche d'aide ➡ Accès aux services
➡ Prestation / utilisation du service ➡ Engagement / désengagement

➤ **Relations entre l'accès et l'engagement**

- Relation parfois inverse entre accès et qualité des services
- Mesures visant l'amélioration de l'un peut avoir des conséquences sur l'autre
- Pas d'accès = pas d'engagement





UTILISATION DES SERVICES DE SANTÉ MENTALE

BARRIÈRES D'ACCÈS ET D'ENGAGEMENT DANS LES SERVICES

	Barrières d'accès	Barrières liées à l'engagement
Organisation et fonctionnement du système de santé	• Accessibilité: Délais, Étapes préalables, Heures d'ouverture, Distance, Types de services • Rupture dans la continuité des services: Jeunes/ adultes, Urgences/ milieux internes/ services externes • Fragmentation des services: Courants/ spécialisés, Institutionnels/ communautaires, Secteurs gouvernementaux, Traitement en dépendances/ santé mentale	• Délais entre évaluation et début du traitement • Gestion axée sur les résultats: surcharge, ↓ temps à allouer par personne • Services adultes non adaptés: Transition vers l'âge adulte, Jeunes en situation d'itinérance, besoins spécifiques aux « groupes marginalisés »
Interactions avec les professionnels	• Importance du premier contact: Jugement / discrimination perçu ou réel • Communication unidirectionnelle • Écart entre les attentes et le service offert	• Formation des professionnels • Perceptions des jeunes à l'égard des professionnels de la santé • Écarts de perceptions: Évaluations des besoins, Préférences de traitement
Soutien social Relations interpersonnelles	• Manque de soutien social: Contacts irréguliers / rupture des liens avec famille et milieu scolaire • Rôle des parents et des proches: Identification du besoin, Encouragements à rechercher de l'aide, Transmissions d'informations, Guidance	• Manque de soutien social: Rôle des familles/ proches dans l'engagement • Parcours de vie: Relations familiales conflictuelles, Maltraitance, Précarité socio-économique, expérience antérieure avec le milieu institutionnel, Difficultés à faire confiance
Ressources financières et matérielles	• Manque de ressources financières et matérielles: \$ pour le transport, Pas de preuve de résidence / de couverture médicale / d'identité • Priorisation des besoins	• Manque de ressources financières et matérielles: Faible revenu = taux d'abandon plus élevé, Absence d'un hébergement stable • Besoins de base non comblés: déplacements multiples, moins disponible



UTILISATION DES SERVICES DE SANTÉ MENTALE

CONDITIONS FACILITANT L'ACCÈS ET L'ENGAGEMENT DANS LES SERVICES

	Conditions facilitant l'accès	Conditions facilitant l'engagement
Organisation et fonctionnement du système de santé	• Accessibilité: Services rapides après la demande, Heures d'ouverture étendues, Possibilités de sans-rendez-vous, Proximité des transports • Offre de services: Services dans la communauté, plusieurs services offerts dans un même lieu, Diversité des modalités de contacts • Continuité: Transition fluide entre services jeunesse et adultes • Prévention: Cliniques transdiagnostiques	• Transition graduelle entre les services jeunesse et adultes: Programmes et rencontres conjointes, Clarification des tâches, Collaboration, Services pour les 14-25 / 12-25 ans • Espace physique: Pour jeunes, Lieux sécurisants/ familiers/ dans la communauté • Types de services: Diversité des services, Activités alternatives, Groupes de soutien, Holistique, Culturellement sensibles, inclusifs
Interactions avec les professionnels	• Relation avec un professionnel établie au préalable: plus disposé à utiliser le service en temps de crise • Premier contact: empathie, non-jugement, réceptivité • Fournir des informations: sur les processus, ressources et services	• Continuité du lien • Attitude: sécurisant, soutien, non-jugement, disponibilité, flexibilité • Interventions: Axées sur bien-être, qualité de vie, soutien émotionnel, forces, Aider à faire des liens entre le suivi en santé mentale et les aspirations du jeune, Rappels des rendez-vous
Soutien social Relations interpersonnelles	• Présence d'un mentor / pair aidant • Support et acceptation de l'entourage: Santé mentale, Recherche d'aide • Accompagnement: Intervenants, mentor, personne significative	• Implication des familles et des proches: Reprise des contacts, Accompagnements, Collaboration • Soutien social de la famille et/ou proches: ↑ de la constance aux rv. • Mentor
Ressources financières et matérielles	• Collaboration entre les milieux communautaire et institutionnel • Accompagnements aux rendez-vous • Agir sur les obstacles pratiques: \$ transport, emplacement, heures	• Agir sur les obstacles pratiques pouvant interférer avec le suivi : \$ transport, Informations sur les trajets, • Stabilité de l'hébergement et besoins de base



UTILISATION INTERVENTION EN SANTÉ MENTALE AUPRÈS DES JEUNES EN SITUATION D'ITINÉRANCE

➤ Défis rencontrés

- Respect des choix et du rythme du jeune
- Écarts de perceptions
- Enjeux liés à l'hébergement
- Besoins multiples et influence réciproque
- Contexte organisationnel
- Développement du partenariat

➤ Conditions facilitant l'intervention

- Relation de confiance et continuité du lien
- Interventions holistiques – globales
- Diversité des types de services offerts
- Réduire les écarts: perceptions et situations
- Disponibilité et flexibilité
- Implication des familles et des proches
- Partenariat avec les ressources communautaires
- Collaboration interdisciplinaire





PRÉSENTATION DU PROJET DE RECHERCHE

➤ Perspectives des acteurs impliqués

- Jeunes
- Intervenants: milieux institutionnel et communautaire
- Famille / proches
- Gestionnaires

➤ Méthodologie de recherche mixte


- Collecte des données
- Analyse des données

➤ Recrutement des participants

- Réseau d'Intervention de proximité auprès des jeunes
- site ACCESS-RIPAJ et organismes partenaires

➤ Lieu de la recherche

- Centre-ville de Montréal
- ACCESS-Esprits Ouverts – CRCHUM





BIBLIOGRAPHIE



➤ RÉFÉRENCES

- Afzali, M.H., Sunderland, M., Carragher, N. et Conrod, P. (2018). The Structure of Psychopathology in Early Adolescence: Study of a Canadian Sample. *The Canadian Journal of Psychiatry*, 63(4), 223-230. doi: 10.1177/0706743717737032.
- Ambresin, A.-E., Bennett, K., Patton, G.C., Sanci, L.A. et Sawyer, S.M. (2013). Assessment of Youth-Friendly Health Care: A Systematic Review of Indicators Drawn From Young People's Perspectives. *Journal of Adolescent Health*, 52(6), 670-681. doi: <https://doi.org/10.1016/j.jadohealth.2012.12.014>.
- Anda, R.F., Felitti, V.J., Bremner, J.D., Walker, J.D., Whitfield, C., Perry, B.D., . . . Giles, W.H. (2006). The enduring effects of abuse and related adverse experiences in childhood. *European Archives of Psychiatry and Clinical Neuroscience*, 256(3), 174-186.
- ASPC. (2013). *Pourquoi les Canadiens sont-ils en santé ou pas?*. Ottawa : Agence de la santé publique du Canada. Repéré à : <https://www.canada.ca/fr/sante-publique/services/promotion-sante/sante-population/est-determine-sante/pourquoi-canadiens-sont-sante.html>
- Aviles, A. & Helfrich, C. (2004). Life skill service needs: Perspectives of homeless youth. *Journal of youth and adolescence*, 33(4), 331-338.
- Baer, J.S., Rosengren, D.B., Dunn, C.W., Wells, E.A., Ogle, R.L. & Hartzler, B. (2004). An evaluation of workshop training in motivational interviewing for addiction and mental health clinicians. *Drug and alcohol dependence*, 73(1), 99-106. <https://doi.org/10.1016/j.drugalcdep.2003.10.001>
- Baker Collins, S. (2013). Childhood stress and mobility among rural homeless youth. Dans S. Gaetz, B. O'Grady, K. Buccieri, J. Karabanow & A. Marsolais (dir.), *Youth Homelessness in Canada: Implications for Policy and Practice*. Repéré à : <http://homelesshub.ca/sites/default/files/4BAKERCOLLINSweb.pdf>
- Barker, B., Kerr, T., Nguyen, P., Wood, E. & DeBeck, K. (2015). Barriers to health and social services for street-involved youth in a Canadian setting. *Journal of public health policy*, 36(3), 350-363. doi: 10.1057/jphp.2015.8



BIBLIOGRAPHIE

RÉFÉRENCES

- 
- Bevington, D., Fuggle P. & Fonagy, P. (2015). Applying attachment theory to effective practice with hard-to-reach youth: the AMBIT approach. *Attachment & Human Development*, 17(2), 157-174. doi: 10.1080/14616734.2015.1006385
- Biddle, L., Donovan, J., Sharp, D. & Gunnell, D. (2007). Explaining non-help-seeking amongst young adults with mental distress: A dynamic interpretive model of illness behavior. *Sociology of Health & Illness*, 29(7), 983-1002. <http://dx.doi.org/10.1111/j.1467-9566.2007.01030.x>
- Boivin, J.F., Roy, E., Haley, N. & Galbaud du Fort, G. (2005). The health of street youth: a Canadian perspective. *Canadian Journal of Public Health*, 96(6), 432-437.
- Bourque, D. (2009). La création des CSSS et certains de ses effets sur les pratiques des travailleuses sociales. *Intervention*, 131, 161-171.
- Brands, B., Leslie, K., Catz-Biro, L. & Li, S. (2005). Heroin use and barriers to treatment in street-involved youth. *Addict Res Theory*, 13(5), 477-487. <https://doi.org/10.1080/16066350500150624>
- Bright, F.A.S., Kayes, N.M., Worrall, L. & McPherson, K.M. (2015). A conceptual review of engagement in healthcare and rehabilitation. *Disability and Rehabilitation*, 37(8), 643-654. doi:10.3109/09638288.2014.933899
- Brown, A., Rice, S.M., Rickwood, D.J. & Parker, A.G. (2016). Systematic review of barriers and facilitators to accessing and engaging with mental health care among at-risk young people. *Asia - Pacific Psychiatry*, 8(1), 3-22.
- Busen, N.H. & Engebretson, J.C. (2008). Facilitating risk reduction among homeless and street-involved youth. *Journal of the American Association of Nurse Practitioners*, 20(11), 567-575. <https://doi.org/10.1111/j.1745-7599.2008.00358.x>
- Champagne, F., Contandriopoulos, A.-P., Sainte-Marie, G. & Chartrand, É. (2018). *L'accessibilité aux services de santé et aux services sociaux au Québec. Portrait de la situation*. Montréal : École de santé publique (ESPUM) et Institut de recherche en santé publique (IRSPUM), Université de Montréal.
- Chénard, J. et Grenier, J. (2012). Concilier des logiques pour une pratique de sens : exigence de solidarité. *Intervention*, 136(1), 18-29.



BIBLIOGRAPHIE

RÉFÉRENCES

- 
- Christiani, A., Hudson, A.L., Nyamathi, A., Mutere, M. & Sweat, J. (2008). Attitudes of Homeless and Drug-Using Youth Regarding Barriers and Facilitators in Delivery of Quality and Culturally Sensitive Health Care Attitudes of Homeless and Drug-Using Youth Regarding Barriers and Facilitators in Delivery of Quality and Culturally Sensitive Health Care. *Journal of Child and Adolescent Psychiatric Nursing*, 21(3), 154-163.
- Collins, P. & Barker, C. (2009). Psychological help-seeking in homeless adolescents. *Int J Soc Psychiatry*, 55, 372-384.
- Colucci, E., Minas, H., Szwarc, J., Guerra, C. & Paxton, G. (2015). In or out? Barriers and facilitators to refugee-background young people accessing mental health services. *Transcult Psychiatry*, 52(6), 766-790. <https://doi.org/10.1177/1363461515571624>
- Crowley, A. (2012). *Making it matter: improving the health of homeless young people*. United Kingdom: AstraZeneca / Depaul.
- Darbyshire, P., Muir-Cochrane, E., Fereday, J., Jureidini, J. & Drummond A. (2006). Engagement with health and social care services: perceptions of homeless young people with mental health problems. *Health Soc Care Community*, 14(6), 553-562. doi: 10.1111/j.1365-2524.2006.00643.x
- Dawes, N.P., & Larson, R. (2011). How youth get engaged: Grounded-theory research on motivational development in organized youth programs. *Developmental psychology*, 47(1), 259-269. doi:10.1037/a0020729
- Dimitropoulos, G., Tran, A.F., Agarwal, P., Sheffield, B. & Woodside, B. (2013). Challenges in making the transition between pediatric and adult eating disorder programs: A qualitative study from the perspective of service providers. *Eating Disorders*, 21(1), 1-15.
- Dougherty, L.R., Smith, V.C., Bufferd, S.J., Stringaris, A., Leibenluft, E., Carlson, G.A. & Klein, D.N. (2013). Preschool Irritability: Longitudinal Associations with Psychiatric Disorders at Age 6 and Parental Psychopathology. *Journal of the American Academy of Child & Adolescent Psychiatry*, 52(12), 1304-1313. <https://doi.org/10.1016/j.jaac.2013.09.007>
- Edidin, J.P., Ganim, Z., Hunter, S.J. & Karnik, N.S. (2012). The mental and physical health of homeless youth: a literature review. *Child Psychiatry and Human Development*, 43, 354-375.



BIBLIOGRAPHIE

RÉFÉRENCES

Edlund, M.J., Wang, P.S., Berglund, P.A., Katz, S.J., Lin, E. & Kessler, R.C. (2002). Dropping out of mental health treatment: patterns and predictors among epidemiological survey respondents in the United States and Ontario. *Am J Psychiatry*, 159(5), 845-851. doi:10.1176/appi.ajp.159.5.845

Embrett, M.G., Randall, G.E., Longo, C.G., Nguyen, T. & Mulvale, G. (2016). Effectiveness of Health System Services and Programs for Youth to Adult Transitions in Mental Health Care: A Systematic Review of Academic Literature. *Administration Policy in Mental Health and Mental Health*, 43, 259-269.

Ensign, J. & Bell, M. (2004). Illness experiences of homeless youth. *Qualitative Health Research*, 14(9), 1239-1254.


Findlay, L.C. (2017). Dépression et idéation suicidaire chez les Canadiens de 15 à 24 ans. Statistique Canada (no 82-003-X), Rapports sur la santé, 28(1), 3-12. Repéré à : <https://www150.statcan.gc.ca/n1/pub/82-003-x/2017001/article/14697-fra.pdf>

Findlay, L.C. & Sunderland, A. (2014). Professional and informal mental health support reported by Canadians aged 15 to 24. Ottawa: Statistique Canada. Repéré à : <https://pdfs.semanticscholar.org/edd7/b43684c6e09645c34d3fce759e1449202023.pdf>

Fleury, M.-J. et Grenier, G. (2004). Historique et enjeux du système de santé mentale québécois *Ruptures, revue transdisciplinaire en santé*, 10(1), 21-38.

Fleury, M.-J. & Grenier, G. (2012). *État de la situation sur la santé mentale au Québec et réponse du système de santé et de services sociaux*. Québec: Commissaire à la santé et au bien-être, Gouvernement du Québec. Repéré à : https://www.csbe.gouv.qc.ca/fileadmin/www/2012/SanteMentale/CSBE_EtatSituation_SanteMentale_2012.pdf

Fortin, D., McVey, L., Racine, S., Luyet, A.J., Israël, M., Villeneuve, E., . . . & Fortier, L. (2014). Réflexions et recommandations des Instituts universitaires en santé mentale du Québec sur le document de consultation du Forum national sur le plan d'action en santé mentale 2014-2020 : Réformes du système de santé mentale : constats, témoignages et recommandations. *Santé mentale au Québec*, 39(1), 85-99.





BIBLIOGRAPHIE



➤ RÉFÉRENCES (SUITE)

French, R., Reardon, M. & Smith, P. (2003). Engaging with a mental health service: perspectives of at-risk youth. *Child and Adolescent Social Work Journal*, 20(6), 529-548.

Gaetz, S., Gulliver, T. & Richter, T. (2014). *The State of Homelessness in Canada 2014*. Toronto: The Homeless Hub Press. Repéré à : <https://www.homelesshub.ca/sites/default/files/attachments/SOHC2014.pdf>

Gaetz, S., O'Grady, B., Buccieri, K., Karabanow, J. & Marsolais, A. (dir.). (2013). *Youth homelessness in Canada: Implications for policy and practice*. Toronto: Canadian Homelessness Research Network Press. Repéré à : <https://yorkspace.library.yorku.ca/xmlui/bitstream/handle/10315/29367/YouthHomelessnessweb.pdf?sequence=1&isAllowed=y>

Gaetz, S., Gulliver, T. & Richter, T. (2014). *The State of Homelessness in Canada 2014*. Toronto: The Homeless Hub Press. Repéré à : <https://www.homelesshub.ca/sites/default/files/attachments/SOHC2014.pdf>

Gaetz, S., O'Grady, B., Buccieri, K., Karabanow, J. & Marsolais, A. (dir.). (2013). *Youth homelessness in Canada: Implications for policy and practice*. Toronto: Canadian Homelessness Research Network Press. Repéré à : <https://yorkspace.library.yorku.ca/xmlui/bitstream/handle/10315/29367/YouthHomelessnessweb.pdf?sequence=1&isAllowed=y>

Gaetz, S., O'Grady, B., Kidd, S. & Schwan, K. (2016). *Without a Home: The National Youth Homelessness Survey*. Toronto: Canadian Observatory on Homelessness Press. Repéré à : <http://homelesshub.ca/sites/default/files/WithoutAHome-final.pdf>

Gharabaghi, K. & Stuart, C. (2010). Voices from the periphery: Prospects and challenges for the homeless youth service sector. *Children and Youth Services Review*, 32, 1683-1689.

Gilmer, T.P., Ojeda, V.D., Fawley-King, K., Larson, B. et Garcia, P. (2012). Change in mental health service use after offering youths specific versus adult programs to transition-age youths. *Psychiatric Services*, 63(6), 592-596.

Goering, P., Veldhuizen, S., Watson, A., Adair, C., Kopp, B., Latimer, E., Nelson, G., MacNaughton, E., Streiner, D. & Aubry, T. (2014). *National At Home/Chez Soi Final Report*. Calgary: Mental Health Commission of Canada. Repéré à : https://www.mentalhealthcommission.ca/sites/default/files/mhcc_at_home_report_national_cross-site_eng_2_0.pdf



BIBLIOGRAPHIE

➤ RÉFÉRENCES (SUITE)

Gulliver, A., Griffiths, K.M. & Christiansen, H. (2010). Perceived barriers and facilitators to mental health help-seeking in young people: a systematic review. *BMC Psychiatry*, 10(1), 113-121.

Hamdani, Y., Jetha, A. & Norman, C. (2011). Systems thinking perspectives applied to healthcare transition for youth with disabilities: a paradigm shift for practice, policy and research. *Child Care, Health and Development*, 37(6), 806-814. doi: 10.1111/j.1365-2214.2011.01313

Henning, D., Alice, R., Sanci, L. & Dunning, T. (2007). Screening for chlamydia trachomatis: Barriers for homeless young people. *Aust J Adv Nurs*, 24(3), 8-13.

Heinze, H.J., Jozefowicz, D.M.H. et Toro, P.A. (2010). Taking the youth perspective: Assessment of program characteristics that promote positive development in homeless and at-risk youth. *Children and Youth Services Review*, 32(10), 1365-1372.

Hetrick, S.E., Bailey, A.P., Smith, K.E., Malla, A., Mathias, S., Singh, S.P., . . . McGorry, P.D. (2017). Integrated (one-stop shop) youth health care: best available evidence and future directions. *Med J Aus*, 207(10), S5-S18. doi: 10.5694/mja17.00694

Hodgson, K.J., Shelton, K.H., van den Bree, M.B. & Los, F.J. (2013). Psychopathology in Young People Experiencing Homelessness: A Systematic Review. *American Journal of Public Health*, 103(6), e24-e37.

Hoffman, N.D., Freeman, K. & Swann, S. (2009). Healthcare preferences of lesbian, gay, bisexual, transgender and questioning youth. *J Adolesc Health*, 45, 222-229. <https://doi.org/10.1016/j.jadohealth.2009.01.009>

Hovish, K., Weaver, T., Islam, Z., Paul, M. & Singh, S.P. (2012). Transition experiences of mental health service users, parents, and professionals in the United Kingdom: A qualitative study. *Psychiatric Rehabilitation Journal*, 35(3), 251-257.

Hudson, A.L., Nyamathi, A., Greengold, B., Slagle, A., Koniak-Griffin, D., Khalilifard, F. & Getzoff, D. (2010). Health-seeking challenges among homeless youth. *Nursing Research*, 59(3), 212-218. doi:10.1097/NNR.0b013e3181d1a8a9

Hudson, A.L., Nyamathi, A., Slagle, A. ... & Reid, C. (2009). The power of the drug, nature of support, and their impact on homeless youth. *J Addict Dis*, 28(4), 356-365. <https://doi.org/10.1080/10550880903183026>





BIBLIOGRAPHIE



➤ RÉFÉRENCES (SUITE)

ICIS. (2013). *Cadre de mesure de la performance du système de santé canadien*. Ottawa: Institut canadien d'information sur la santé. Repéré à : https://secure.cihi.ca/free_products/HSP_Framework_Technical_Report_FR.pdf

IRIS. (2016). *Les indicateurs en santé*. Montréal : Institut de recherche et d'informations socioéconomiques. Repéré à : https://cdn.iris-recherche.qc.ca/uploads/publication/file/Indicateur_WEB.pdf

Jackson, K., Booth, P., McGuire, J. & Salmon, P. (2006). Predictors of starting and remaining in treatment at a specialist alcohol clinic. *Journal of Substance Use*, 11(2), 89-100. <https://doi.org/10.1080/14659890500143614>

Johnson, G. & Chamberlain, C. (2008). Homelessness and substance abuse: Which comes first? *Australian Social Work*, 61(4), 342-356.

Jorm, A.F., Morgan, A.J. & Wright, A. (2008). A comparison of clinician, youth, and parent beliefs about helpfulness of interventions for early psychosis. *Psychiatric Services*, 59(10), 1115-1120.

Kessler, R.C., Berglund, P., Bruce, M.L., Koch, R.J., Laska, E.M., Leaf, P.J., ... & Wang, P.S. (2001). The Prevalence and Correlates of Untreated Serious Mental Illness. *Health Services Research*, 36(6), 987-1007.

Keys, D., Mallett, S., Edwards, J. & Rosenthal, D. (2004). *Who can help me? Homeless young persons perceptions of services: A report of selected results from Project i: Homeless Young People in Melbourne and Los Angeles (2000–2005)*. Department of Public Health, Victoria: University of Melbourne.

Kidd, S.A. (2004). The walls were closing in, and we were trapped - A qualitative analysis of street youth suicide. *Youth et Society*, 36(1), 30-55.

King, G, Currie, M. & Petersen, P. (2014). Review: Child and parent engagement in the mental health intervention process: a motivational framework. *Child and Adolescent Mental Health*, 19(1), 2-8.

Kozloff, N., Cheung, A.H., Ross, L.E., Winer, H., Ierfino, D., Bullock, H. & Bennett, K.G. (2013). Factors influencing service use among homeless youths with co-occurring disorders. *Psychiatric Services*, 64(9), 925-928. doi: 10.1176/appi.ps.201200257



BIBLIOGRAPHIE

RÉFÉRENCES (SUITE)

Kozloff, N., Stergiopoulos, V., Adair, C.E., Cheung, A.H., Misir, V., Townley, G., Bourque, J., Krausz, M. & Goering, P. (2016). The unique needs of homeless youths with mental illness: baseline findings from a Housing First trial. *Psychiatric Services*, 67(10), 1083-1090. <https://doi.org/10.1176/appi.ps.201500461>

Kutcher, S. & McLuckie, A. (2011). *Evergreen : document-cadre en matière de santé mentale des enfants et des adolescents au Canada*. Calgary: Commission de la santé mentale du Canada. Repéré à : http://teenmentalhealth.org/wpcontent/uploads/2014/08/EvergreenFramework_version_francais.pdf

Larivière, C. (2010). *L'impact de la restructuration du réseau sur la pratique professionnelle*. Comité de la pratique concernant les réseaux locaux de santé et de services sociaux. OTSTCFQ. En ligne : <https://www.otstcfq.org/docs/default-document-library/rapport-larivi%C3%A8re-4-final.pdf?sfvrsn=0>

Lombrail, P. (2007). Inégalités de santé et d'accès secondaire aux soins. *Revue d'Épidémiologie et de Santé Publique*, 55(1), 23-30.


Mantoura, P., Roberge, M.-C. & Fournier, L. (2017). Un cadre de référence pour soutenir l'action en santé mentale des populations. *Santé mentale au Québec*, 42(1), 105-123. doi: 10.7202/1040246

McLaren, S., Belling, R., Paul, M., Ford, T., Kramer, T., Weaver, T., . . . Singh, S.P. (2013). "Talking a different language": an exploration of the influence of organizational cultures and working practices on transition from child to adult mental health services. *BMC Health Services Research*, 13(1), 254-262.

McManus, H.H. & Thompson, S.J. (2008). Trauma among unaccompanied homeless youth: The integration of street culture into a model of intervention. *Journal of Aggression, Maltreatment and Trauma*, 16(1), 92-108. <https://doi.org/10.1080/10926770801920818>

Meehan, J., Kapur, N., Hunt, I., Turnbull, P., Robinson, J., Bickley, B., Appleby, L. et coll. (2006). Suicide in mental health in-patients and within 3 months of discharge. *The British Journal of Psychiatry*, 188(2), 129-134.

MSSS (2010). *Cadre conceptuel de la santé et de ses déterminants. Résultat d'une réflexion commune*. Québec: Ministère de la Santé et des Services sociaux du Québec. Repéré à : https://www.inspq.qc.ca/sites/default/files/responsabilite-populationnelle/cadre_conceptuel.pdf





BIBLIOGRAPHIE



➤ RÉFÉRENCES (SUITE)

Mitchell, A.J. & Selmes, T. (2007). Why don't patients attend their appointments? Maintaining engagement with psychiatric services. *Advances in Psychiatric Treatment*, 13(6), 423-434. <https://doi.org/10.1192/apt.bp.106.003202>

Moore, P.J., Sickel, A.E., Malat, J., Williams, D., Jackson, J. & Adler, N.E. (2004). Psychosocial factors in medical and psychological treatment avoidance: the role of the doctor-patient relationship. *Journal of Health Psychology*, 9(3), 421-433. doi: 10.1177/1359105304042351

Nicholas, D.B., Newton, A.S., Calhoun, A. ... & Shankar, J. (2016a). The experiences and perceptions of street-involved youth regarding emergency department services. *Qual Health Res*, 26(6), 851-862. doi: 10.1177/1049732315577605

Nicholas, D.B., Newton, A.S., Kilmer, C. ... & Smyth, P. (2016b). The experiences of emergency department use by street-involved youth: Perspectives of health care and community service providers. *Social Work in Health Care*, 55(7), 531-544. <https://doi.org/10.1080/00981389.2016.1183553>

Observatoire canadien sur l'itinérance. (2012). *La définition canadienne de l'itinérance*. Repéré à : <http://rondpointdelitinerance.ca/ressource/d%C3%A9finition-canadienne-del%E2%80%99itin%C3%A9rance>

Observatoire canadien sur l'itinérance. (2016). *Définition canadienne de l'itinérance chez les jeunes*. Le rond-point de l'itinérance. Repéré à : www.rondpointdelitinerance.ca/definitionlitinerancejeunes

OMS. (2008). *Comblar le fossé en une génération. Instaurer l'équité en santé en agissant sur les déterminants sociaux de la santé*. Genève: Nations Unis Organisation Mondiale de la Santé. Repéré dans : http://www.who.int/social_determinants/thecommission/finalreport/fr/

OMS. (2013). *Plan d'action pour la santé mentale 2013-2020*. Genève, Suisse : Organisation mondiale de la Santé. Repéré à : https://apps.who.int/iris/bitstream/handle/10665/89969/9789242506020_fre.pdf?sequence=1

OMS. (2014). *Social determinants of mental health*. Geneva, Switzerland: World Health Organization: World Health Organization et Calouste Gulbenkian Foundation. Repéré à: http://apps.who.int/iris/bitstream/handle/10665/112828/9789241506809_eng.pdf?sequence=1



BIBLIOGRAPHIE



➤ RÉFÉRENCES (SUITE)

- Paquet, G. (2005). *Partir du bas de l'échelle, Des pistes pour atteindre l'égalité sociale en matière de santé*. Montréal : Presses de l'Université de Montréal
- Pauzé, R., Toupin, J., Déry, M., Mercier, H. & Joly, J. (2004). *Enfants, familles et parcours de services dans les centres jeunesse du Québec : portrait des jeunes âgés de 0 à 17 ans référés à la prise en charge des Centres jeunesse du Québec, leur parcours dans les services et leur évolution dans le temps*. Université de Sherbrooke : Groupe de recherche sur les inadaptations sociales de l'enfance.
- Rabinovitch, M., Bécharde-Evans, L., Schmitz, N., Joober, R. & Malla, A. (2009). Early Predictors of Nonadherence to Antipsychotic Therapy in First-Episode Psychosis. *Can J Psychiatry*, 54(1), 28-35. <https://doi.org/10.1177/070674370905400106>
- Reibel, T., Morrison, L., Griffin, D., et al. Young Aboriginal women's voices on pregnancy care: Factors encouraging antenatal engagement. *Women Birth*, 28(1), 47-53. <https://doi.org/10.1016/j.wombi.2014.10.003>
- Rickwood, D.J., Deane, F.P. & Wilson, C.J. (2007). When and how do young people seek professional help for mental health problems? *MJA*, 87(7), s35-s39.
- Rickwood, D., Deane, F., Wilson, C. et Ciarrochi, J. (2005). Young people's help-seeking for mental health problems. *AeJAMH (Australian e-Journal for the Advancement of Mental Health)*, 4(3).
- Robart, F., Kang, M., Usherwood, T. & Sanci, L. (2018). How Marginalized Young People Access, EngageWith, and Navigate Health-Care Systems in the Digital Age: Systematic Review. *Journal of Adolescent Health*, 62(4), 365-381. doi: 10.1016/j.jadohealth.2017.10.018
- Rousseau, C., Nadeau, L., Pontbriand, A., Johnson-Lafleur, J., Measham, T. & Broadhurst, J. (2014). La santé mentale jeunesse: un domaine à la croisée des chemins. *Santé mentale au Québec*, 39(1), 101-118.7
- Roy, É., Haley, N., Leclerc, P., Sochanski, B., Boudreau, J. F., & Boivin, J. F. (2004). Mortality in a cohort of street youth in Montreal. *Jama*, 292(5), 569-574.
- Singh, S.P., Paul, M., Ford, T., Kramer, T., Weaver, T., McLaren, S., . . . White, S. (2010). Process, outcome and experience of transition from child to adult mental healthcare: multiperspective study. . *The British Journal of Psychiatry*, 197, 305-312.



BIBLIOGRAPHIE



➤ RÉFÉRENCES (SUITE)

Slesnick, N., Dashora, P., Letcher, A., Erdem, G. et Serovich, J. (2009). A review of services and interventions for runaway and homeless youth: moving forward. *Children and Youth Services Review*, 31(7), 732-742.

Slesnick N., Erdem G., Collins J., Bantchevska D. & Katafiasz H. (2011). Predictors of treatment attendance among adolescent substance abusing runaways: a comparison of family and individual therapy modalities. *J Fam Ther*, 33(1), 66-84. <https://doi.org/10.1111/j.1467-6427.2010.00530.x>

Solorio, R., Milburn, N., Andersen, R., Trifskin, S. & Rodríguez, M. (2006). Emotional distress and mental health service use among urban homeless adolescents. *Journal of Behavioral Health Services and Research*, 33(4), 381-393.

Stewart, M., Reutter, L., Letourneau, N. & Makwarimba, E. (2009). A support intervention to promote health and coping among homeless youths. *Canadian Journal of Nursing Research*, 41(2), 54-77.

Strunk, J.A., Pickler, R., McCain, N.L., Nancy, L., McCain, D.S.N., Ameringer, S. & Myers, B.J. (2014). Managing the health care needs of adolescents with autism spectrum disorder: The parents' experience. *Fam Syst Health*, 32, 328-337.

Styron, T.H., O'Connell, M., Smalley, W., Rau, D., Shahar, G., Sells, D., . . . Davidson, L. (2006). Troubled youth in transition: An evaluation of Connecticut's special services for individuals aging out of adolescent mental health programs. *Children and Youth Services Review*, 28(9), 1088-1101.

Sweat, J., Nyamathi, A., Christiani, A. & Mutere, M. (2008). Risk behaviors and health care utilization among homeless youth: Contextual and racial comparisons. *Journal of HIV/AIDS prevention in children & youth*, 9(2), 158-174. <https://doi.org/10.1080/15538340902824092>

Tetley, A., Jinks, M., Huband, N. & Howells, K. (2011). A systematic review of measures of therapeutic engagement in psychosocial and psychological treatment. *Journal of clinical psychology*, 67(9), 927-941. doi: 10.1002/jclp.20811

Thompson, S., McManus, H., Lantry, J., Windsor, L., & Flynn, P. (2006). Insights from the street: perceptions of services and providers by homeless young adults. *Evaluation and Program Planning*, 29(1), 34-43.



BIBLIOGRAPHIE

➤ RÉFÉRENCES (SUITE)

Valibhoy, M.C., Kaplan, I. & Szwarc, J. (2017). It comes down to just how human someone can be: A qualitative study with young people from refugee backgrounds about their experiences of Australian mental health services. *Transcult Psychiatry*, 54(1), 23-45. <https://doi.org/10.1177/1363461516662810>

Waddell, C., Shepherd, C., Schwartz, C. & Barican, J. (2014). *Child and youth mental disorders: prevalence and evidence-based interventions. A research report for the BC Ministry of Children and Family Development*. Vancouver : Children's Health Policy Centre. Repéré à: <http://childhealthpolicy.ca/wp-content/uploads/2015/11/2015-10-05-Waddell-et-al-Report-2014.06.16-w-errata.pdf>

Watsford, C. & Rickwood, D. (2012). What do young people seeking professional help want and expect from therapy? *World Academy of Science, Engineering, and Technology*, 6(6), 359-363. doi.org/10.5281/zenodo.1061204

Watsford, C. & Rickwood, D. (2014). Young people's expectations, preferences, and experiences of therapy: Effects on clinical outcome, service use, and help-seeking intentions. *Clinical Psychology*, 18, 43-51. doi:10.1111/cp.12034

Welch, M. et Mooney, J. (2001). Managing services that manage people with a coexisting mental health and substance use disorders. *Australasian Psychiatry*, 9(4), 345-349.

Westin, A.M.L., Crystal L. Barksdale, C.L. & Stephan, S.H. (2014). The Effect of Waiting Time on Youth Engagement to Evidence Based Treatments. *Community Ment Health J*, 50, 221-228. doi: 10.1007/s10597-012-9585-z

Wong, J., Marshall, B.D.L., Kerr, T., Lai, C. & Wood, E. (2009). Addiction Treatment Experience among a Cohort of Street-Involved Youths and Young Adults. *Journal of Child & Adolescent Substance Abuse*, 18(4), 398-409. doi: 10.1080/10678280903185567





BIBLIOGRAPHIE

➤ SITES WEB

JAP et ÉQUIP Sol: Clinique des jeunes adultes psychotiques et Équipe d'Intervention Intensive de Proximité Sol du CHUM

<http://premierepisode.ca/clinique-jap/historique-et-mission/>

RIPAJ: Réseau d'Intervention de Proximité Auprès des Jeunes

<http://premierepisode.ca/equip-sol/mission-et-objectifs/>

Recherche ACCESS-Esprits Ouverts et ACCESS-RIPAJ

<http://accessopenminds.ca/fr/>

<http://accessopenminds.ca/fr/our-site/reseau-dintervention-de-proximite-aupres-des-jeunes-de-la-rue-ripaj-qc/>



